EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10521007".apnr.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:06
82	4	(("20020067402") or ("6176574") or ("6428157") or ("6126281")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/15 12:08
SS	11878	(apply\$3 or print\$3) adj3 image adj3 sheet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:19
S4	1699	\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15
S5	68	drop on demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:20
S6	0	S3 and S4 and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:21
S7	9	S3 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15
S8	7683	drop-on-demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15
S9	3	drop-on-demand and 427/146.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15

S10	787	427/146.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:28
S11	103	427/146.cds. and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:28
S12	2	S8 and cover coat and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:30
S13	15	drop-on-demand and protection fluid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:34
S14	673	drop-on-demand same2 (protection or cover\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:39
S15	488	drop-on-demand same2 (protection or cover\$3) and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:40
S16	12	("3946398" "4217409" "4723129" "5549740" "5635969" "5766398" "5792249" "5975680"). PN. OR ("6428157"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 12:52
S17	65	"3519456" "3576182" "3576182" "3519456" "3554835" 3607526" "4027345" 4165399" 4171399" 4235657" "4319953" 4515849" "4555436" 4760348" "4900597" 4987346" 49803487" "5006502" 5120383" 5160778" 5310436").PN. OR ("5766393").UPPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 12:54

S18	1	on-demand and protection fluid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:01
S19	4562	on-demand and protection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:01
S20	2514	on-demand and protection and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:02
S21	493	on-demand and protection and image and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:02
S22	4	427/146.ccis. and on- demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:03
\$23	35	("3306867" "4294641" "4326005" "4329698" "4455147" "4500895" "4561789" "4664670" "4732815" "4774291" "4771295" "4773953" "4794499" "4844770" "492969" "4963189" "4966815" "4980224" "5055444" "5139917" "5236801" "5246518" "5248363" "5302223" "54335881" "5431501" "5487614" "5488907" "6001482", PM. OR ("6296901"), URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 13:04
S24	2254	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:51
S25	2050	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 ((film or coat\$3 or layer \$3)) and ink jet and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:52

S26	1718	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 ((film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	O	2009/01/15
S27	1431	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (cover or protect\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:52
S28	892	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:53
S29	756	("drop-on-demand" or "on- demand") and (app)\$4 or print\$3) with image and (overcoat\$3 or (cover or protect\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-POPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:56
S30	756	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (appis4 or prints3) with image and (overcoat\$3 or (over or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:57
S31	40	("drop-on-demand" or "on- demand") and (app)84 or pirint\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity and frequency and "427".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:02

S32	7	("drop-on-demand" or "on- demand" or "droplet-on- demand") and 427/146. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:08
S33	1328	("drop-on-demand" or "on- demand") and image and (overcoat\$3 or (oover or protect\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and "347". idas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:11
S34	4	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appis4 or prints3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity and frequency and 34711.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:12
S35	208	("drop-on-demand" or "on- demand" or "droplet-on- demand") and ink jet and nozzle same frequency with "kHz" and nozzle same orifice and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:21
S36	361	("drop-on-demand" or "on- demand" or "droplet-on- demand") and ink jet and nozzle same frequency with "kHz" and nozzle with ".mu.m" and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:25
S37	4	("drop-on-demand" or "on- demand" or "droplet-on- demand") and ink jet and nozzle same frequency with "kHz" and nozzle with "mu.m" and pressure with bar	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:26
S38	333	("drop-on-demand" or "on- demand" or "droplet-on- demand") and ink jet and nozzle same frequency with "kHz" and nozzle with ".mu.m" and pressure same ink	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:28

S39	405	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (appl\$4 or pirni\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 ((film or coat\$3 or layer \$3)) and link jet and pressure and nozzle and viscosity and frequency with "kHz"	US-PAPUB; US-PAT; FPFS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2009/01/15 14:46
S40	72	("drop-on-dernand" or "on- demand" or "droplet-on- demand") and (appls4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer \$3)) and ink jet and pressure and nozzle and viscosity with ("op" or "ops") and frequency with "kHz"	US-PCPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:47
S41	5	427/146.ccls. and "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:05
S42	746	("drop-on-demand" or "on- demand" or "droplet-on- demand") and nozzle same frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:16
S43	738	("drop-on-demand" or "on- demand" or "droplet-on- demand") and nozzle same frequency with "kHz" and (ink jet or inkjet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:17
S44	115	("drop-on-demand" or "on- demand" or "droplet-on- demand") and nozzle same frequency with "kHz" and (ink jet or inkjet) and protecti\$3 near3 (film or coat\$3 or layer\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:17
S45	384	("2512743" "2951894" "3177800" "3373437" "3452360" "3512173"). PN. OR ("3946398"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/16 06:48

S46	447	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and pressure same (\$1bar or "kPa" or torr ot atm)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:04
S47	267	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and pressure same (bar)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:04
S48	7	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and pressure same ("3 Bar")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:07
S49	253	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and pressure same (\$1bar or "k-Pa" or torr ot atm) same (drop or ink)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:09
S50	2537	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and (nozzle or orifice) with diameter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:17
S51	15	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with "125"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:18
S52	1611	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:19
S53	579	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m") and frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16

S54	46	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m") with "500"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:27
S55	12	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and protection adj3 (layer\$3 or coat\$3 or film or fluid) same "Hz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:02
S56	29	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and protection adja (layer\$3 or coat\$3 or film of fluid) same frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:04
S57	105	("drop-on-demand" or "on- demand" or "droplet-on- demand") "droplet-on- demand") "and (ink jet or inkjet) and (protecti\$2 near3 (layer\$3 or coat\$3 or film or fluid) or cover coat\$3 or overcoat\$3 or overcoat\$3) same frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:06
S58	36	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and carrier sheet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:08
S59	966	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and ink same viscosity same "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:48
S60	895	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and ink same viscosity with "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51
S61	656	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and ink with viscosity with "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51

S62	13	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and ink with viscosity with "cp" with image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51
S63	73	("drop-on-demand" or "on- demand" or "droplet-on- demand") and (ink jet or inkjet) and ink with viscosity with "cp" same image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	Z	2009/01/16 08:52
S64	1584525	transfer	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:17
S65	1507	siliconised with (paper or card)	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:17
S66	713	S64 and S65	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:17
S67	129	S66 and ceramic	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:17
S68	32	("4257934" "5194317" "5242739" "5260159" "5501192" "5501902" "5798179" "5851651"). PN. OR ("6177187"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/21 10:23
S69	19	S68 and transfer\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 10:24
S70	12694	(siliconised or silicone) with (paper or card)	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:27
S71	182875	image with transfer\$3	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:27
S72	1843	S70 and S71	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:27
S73	423	S72 and ceramic	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:27
S74	193	S73 and ink with jet\$4	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:27
S75	151	S74 and cover\$3	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21
S76	43	\$74 and cover\$3 same \$4polymer\$1	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/21 10:39
S77	1	("5139917").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/21 12:58
S78	1	("5766398").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/21 13:35
S79	1	("5431501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/21 13:40

S80	43	("4666320" "4844770" "5010352" "5246518" "5263781").PN. OR ("5431501").URPN.	US-PGPUB; USPAT; USOCR	ADJ	MON	2009/10/21
S81	27	S80 and ink with jet\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 13:52
S82	496	image near2 transfer\$5 and silicon\$5 near2 (paper or card)	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2009/10/21 15:14
S83	450	image near2 transfer\$5 and silicon\$5 near2 (paper or card) and heat \$3	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2009/10/21 15:14
S84	1141	156/240.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:15
S85	71	S84 and silicon\$5 near2 (paper or card)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:15
S86	19	S84 and silicon\$5 near2 (paper or card) and ceramic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:16
S87	1233	(427/146 or 347/1).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:17
S88	5	S87 and silicon\$5 near2 (paper or card) and ceramic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21
S89	0	(hale nathan or xu ming). in. and silicon\$5 near2 (paper or card)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:21
S90	325	(hale nathan or xu ming). in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2009/10/21 15:22

S91	74	(hale nathan or xu ming). in. and paper	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:22
S92	28	\$84 and silicon\$5 near2 (paper or card) and ink with jet\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:25
S93	28	S84 and silicon\$5 near2 (paper or card) and ink with jet\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 15:26
S94	892	bubble with jet\$3 and (ink with jet\$3 or inkjet\$3) and nozzle with orifice and frequency	US-PGPUB; USPAT; FPRS	ADJ	ON	2009/10/22 07:13
S95	892	bubble with jet\$3 and (ink with jet\$3 or inkjet\$3) and nozzle with orifice and frequency	US-PGPUB; USPAT; USOCR; FPRS	ADJ	ON	2009/10/22 07:14
S96	391	bubble with jet\$3 and (ink with jet\$3 or inkjet\$3) and nozzle with orifice and frequency with (kHz or Hz)	US-PGPUB; USPAT; USOCR; FPRS	ADJ	ON	2009/10/22 07:14
S97	384	bubble with jet\$3 and (ink with jet\$3 or inkjet\$3) and nozzle with orifice and frequency with (kHz or Hz) and pressure	US-PGPUB; USPAT; USOCR; FPRS	ADJ	ON	2009/10/22 07:24
S98	121	bubble with jet\$3 and (ink with jet\$3 or inkjet\$3) and nozzle with orifice and frequency with (kHz or Hz) and pressure and drop near3 demand	US-PGPUB; USPAT; USOCR; FPRS	ADJ	ON	2009/10/22 07:30
S99	1141	156/240.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/22 08:22
S100	6	\$99 and silicon\$5 near2 (paper or card) and inkjet \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/22 08:22

EAST Search History (Interference)

< This search history is empty>

10/22/2009 10:00:15 AM

C:\ Documents and Settings\ mwieczorek\ My Documents\ EAST\ Workspaces\ 10521007.wsp